Terminal accessories

| Oalda aanaastiana | | | |
|---|---|------------|--|
| Cable connections | | | |
| Cable connection concealed type 1188, spiral 241 mm, opening up to 180°, interior 8 mm | 1 | 5030036751 | Chrome-plated |
| Cable connection concealed type 1190, spiral 248 mm, opening up to 180°, interior 10 mm | | 5030036752 | Chrome-plated |
| Cable connection concealed type 1191, spiral 468 mm, opening up to 180°, interior 10 mm | | 5030036753 | Chrome-plated |
| Cable connection concealed and detachable, type 1551, 1x opening up to 180° | | 5030036754 | Chrome-plated |
| Scan contacts | | | |
| Flush-mounted magnetic contact DMC15 type N, 6 m cable normally open contact | | 5030036743 | Brass (steel/profile) |
| Flush-mounted magnetic contact DMC15 type U, 6 m cable switchover contact | | 5030036744 | Brass (steel/profile) |
| Surface-mounted magnetic contacts type N, 6 m cable, normally open contact | | 5030036747 | Nylon, white (to be retrofitted) |
| Surface-mounted magnetic contacts type U, 6 m cable, switchover contact | | 5030036748 | Nylon, white (to be retrofitted) |
| Bolt switch contact type N, 6 m cable, normally open contact | | 5030036749 | Nylon, black (for monitoring the deadbolt) |
| Bolt switch contact type U, 6 m cable, switchover contact | | 5030019315 | Nylon, black (for monitoring the deadbolt) |

Power supply units In-wall power supply units, 12 VDC / 1.5 A 5030036783 5030036784 In-wall power supply units, 24 VDC / 0.75 A Large-surface holding magnets Large-surface holding magnet, 500 kg, on-wall with Hall sensor $Large-surface\ holding\ magnet,\ on-wall,$ 5030058348 250 kg with Hall sensor Brackets/plates/hoods Z mounting bracket 5030046867 For EF335CTC & EF550CTC L mounting bracket 5030062438 For EF335CTC L mounting bracket 5030062439 For EF550CTC Installation kit for counterplate 5030062426 For EF335CTC 5030062429 Installation kit for counterplate For EF550CTC Cover hood 5030062430 For EF335CTC in F1 look Cover hood 5030062431 For EC550CTC on-wall in F1 look

ECO Schulte GmbH & Co. KG

Iserlohner Landstraße 89 D-58706 Menden

Telephone +49 2373 9276 - 0 Telefax +49 2373 9276 - 40

info@eco-schulte.de www.eco-schulte.de

Our compendium represents a compilation of all products from our range of services. These are subject to different delivery classes. Special variants included are often manufactured to customer specifications and sometimes require longer delivery times and minimum purchase quantities. Further advise can be given by your contact person.

■ SYSTEM TECHNOLOGY FOR THE DOOR



