



ECO ALERT

Alarm window handle with climate function

Burglaries are committed every 2 minutes in Germany

The burglary rate is increasing all the time.
Do you feel safe in your own 4 walls?
Most burglars break in through the window.



PROTECT your family and your property with the ECO **ALERT** window handle

The innovative and high-quality ECO **ALERT** window handle combines the standard turn-and-tilt function with an independent alarm and climate function. Simple to use with 90° ball bearing detent suitable for properties.

- No conversion work
- No cables
- Simple to operate

ECO **ALERT** - alarm window handle with climate function

- Ideal for retrofitting to windows and patio doors
- Battery-operated - no mains connection necessary
- Alarm function with 115 dB(A)
- Tested by VdS
- Incl. attachment screws and battery
- Climate function 50, 55 and 60% relative air humidity





Safe home in a relaxed atmosphere

Your home made safer

Broken glass and windows levered open are the most frequent cases of burglary attempts through windows. This is where the alarm handle proves its strengths. Thanks to the integrated 3D sensor it detects every movement of the window. Feel safer!

Alarm function

The 3D sensor integrated in the window handle detects movement and vibration patterns typical of break-in attempts, and responds by sounding a 115 dB(A) loud alarm signal for three minutes (similar to a smoke detector).

Prevent mould

Mould is a nightmare in any home. To prevent it forming in the first place, the alarm handle indicates if the indoor climate is in a critical range – before anyone notices. Air your rooms properly!



Simply genius

No mains connection necessary

The alarm handle is quickly fitted, easy to set and can be operated independently of the mains using a standard battery (1/2AA 3.6V) which lasts for approx. 2 years. Acoustic signal warns of low battery charge.

Simple retrofitting for both existing and new buildings

The alarm handle is available in three different pin lengths and is thus ideal for existing buildings, new buildings and as a replacement for your current window handles. All you need is a screwdriver.


Elegant design

Timeless and classy, meets innovative technology. The stainless steel window handle is completely independent of the mains supply. Each and every window handle is a standalone system without any complex control units.

A safe window in just three steps



The new window handle is revolutionising technology by **integrating alarm and climate functions**. Simply insert the battery provided and fit the window handle to the window profile. Then the window handle calibrates itself almost instantly and is ready for use.




On account of its VdS-certified sensitivity, an ECO **ALERT** alarm window handle can also monitor multiple-casement windows. To guarantee a uniform appearance, we also supply window handles without alarm and climate function in the same high-grade design.

STEP 02

No further complicated settings are necessary to enable **the alarm function**. Close the window by the handle as usual and the alarm function is enabled automatically. No locking of the handle, no unnecessary entering of codes, no synchronisation with a control unit. Your window is protected immediately against being levered open or the glass being broken, and sounds a 115 dB(A) loud alarm signal if any burglary attempt is made.

STEP 03

The climate function warns you by means of a discreet red lamp flashing on the side of the handle if the indoor climate is in a critical range. Excessively high air humidity could cause damage to your rooms. Simply open the window and the flashing will stop. After the recommended 5-10 minutes you can close the window again and simply feel comfortable.



Find out more about **ECO ALERT alarm window handle with climate function**

www.eco-schulte.com/en/alarm-window-handle



Watch a video clearly demonstrating all the functions



Email: itm@eco-schulte.de



Hotline: +49 2373 9276 - 11
Keyword: **Alarm window handle**



ECO Schulte GmbH & Co. KG

Iserlohner Landstraße 89

D-58706 Menden

Telephone +49 2373 9276-0

Telefax +49 2373 9276-40

info@eco-schulte.de

www.eco-schulte.de

Your company imprint

■ SYSTEM TECHNOLOGY FOR THE DOOR

